



Version: 8.000

Date: 01/03/2023

**1. IDENTIFICATION**

Product Identifier	
Trade Name	Product Identifier Number
EdgeUtopia BioCeramic Sealer (1 syringe w/ 0.5 g)	3822
EdgeUtopia BioCeramic Sealer (4 syringes w/ 0.5 g)	3823

**Product Use:** Bioceramic root canal sealer ready to use, suitable for sealing the root canal of permanent teeth and internal reabsorption treatment.

**Restrictions on Use:** For dental use only.

**Supplier:**

EdgeEndo • 5600 Wyoming Blvd. NE, Suite 100 • Albuquerque, NM 87109, USA Tel: 1-855-985-3636

**Emergency contact: For Chemical Emergency ONLY (spill, leak, fire, exposure or accident) call: CHEMTREC Tel: 1-800-262-8200 (USA) 1-703-741+5500 (International)**

**2. HAZARDS IDENTIFICATION****GHS Classification****Hazard/Danger Classification:**

According to GHS, it is not classified as a hazardous substance or mixture.

**Health Hazards**

Hazard Class	Category	Signal word	Hazard Statement	Pictogram
Skin reaction	1, 1A and 1B	Warning	Causes skin irritation	
Eye irritation	2A	Warning	Causes serious eye irritation	

**Precautionary Statements:**

**P264** – Wash hands thoroughly after handling.

**P265** – Do not touch eyes.

**P280** – Wear protective gloves, protective clothing, eye protection.

**P302 + P352** – IF ON SKIN: Wash with plenty of water.

**P305 + P351 + P338** – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**P332 + P317** – IF SKIN IRRITATION OCCURS: Get medical help.

**P337 + P313** – If eye irritation persists: Get medical help.

**Physical Hazards:** This product reacts in contact with moisture and water producing a strong alkaline material.

**Environment hazard:** Not applicable.

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

CAS N°/ EC N°	Reach registration N°	% (weight)	Name	Classification according to Regulation (EC) No 1278/2008 (CLP)
12168-85-3	235-336-9	20 – 25 %	Tricalcium silicate	May cause an allergic skin reaction (1, 1A e 1B) H317  Causes serious eye irritation (2) H319
1344-95-2	215-710-8	5 – 15 %	Dicalcium silicate	
12042-78-3	234-932-6	1 – 4 %	Tricalcium aluminate	
<b>Other Additives (radiopacifier, dispersing and fillers agents):</b> According to the technical information, individually or in the mixture these materials are not classified as health hazards, thus do not contribute to the classification of these products.				

**4. FIRST AID MEASURES**

Routes of exposure	Most important Symptoms/Effects, Acute and Delayed	First Aid Treatment
Skin	Skin irritation	Wash with plenty of cool water and pH-neutral soap. Seek medical treatment in all cases of prolonged exposure to material, freshly cured product, or prolonged wet skin exposure to the paste.
Eye	Severe eye irritation	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. If eye irritation occurs: Get medical advice /attention.
Inhalation	Irritation to the moist mucus membranes of the nose, throat and upper respiratory system	Remove person to fresh air and keep comfortable for breathing. Inhalation of large amounts of EdgeUtopia BioCeramic Sealer requires immediate medical attention.
Ingestion	Irritation to the digestive tract	Do not induce vomiting. If person is conscious, use water to rinse out the mouth and have the person drink plenty of water.

**5. FIRE-FIGHTING MEASURES**

**Conditions of Flammability:** Non-Combustible.

**Suitable Extinguishing Media:** There is no restriction on the type of extinguisher which may be used. Use extinguishing media suitable for surrounding area.

**Unsuitable Extinguishing Media:** There is no restriction on the type of extinguisher.

**Specific Hazards Arising from the Product:** None.

**Advice for Fire-fighters:** Firefighters should always wear full protective gear to fight any fire. Prevent spillage from entering drains or water courses.



6. ACCIDENTAL REALESE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: Wear appropriate personal protective equipment to prevent contamination of skin, eyes and personal clothing as described in Section 8. Collect the material using a scoop.

Environmental Precautions: Prevent spillage from entering drains or water courses.




Methods and Material for Containment and Cleaning Up: Collect the material using a scoop. Dispose of waste material according to local, state and federal regulations. Collect the moist product and store in appropriate containers.

7. HANDLING AND STORAGE

Precautions for Safe Handling: Handle with care. Avoid direct contact with the skin. Avoid contact with ammonia, ammonium nitrate, chlorine or chlorine-containing items.

Conditions for Safety Storage: Store in a dry place. Standard temperature and pressure do not affect the product. Store away from foods and drinks. Do not store next to ammonia, ammonium nitrate, chlorine or chlorine-containing items.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

<b>Control Parameters</b>	The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.	
<b>Appropriate Engineering Controls</b>	Well ventilation.	
<b>Individual Protections Measures, Such as Personal Protective Equipment (PPE)</b>	<b>Eye/face Protection</b> 	<b>Safety glasses.</b> Activities, in which the paste may come into contact with eyes, use safety glasses. Be careful when using contact lenses when working with EdgeUtopia BioCeramic Sealer.
	<b>Skin Protection</b>  	<b>Protective work clothing.</b> Avoid contact with the paste. In cases of prolonged exposure to paste, use waterproof clothing and gloves to avoid skin broker. When required, use waterproof boots to eliminate exposure of toe and heel. In case of skin irritation, wash the affected area and, if necessary, seek medical attention.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance</b>	<b>State:</b> Paste	<b>Upper/Lower Flammability or Explosive Limits</b>	Not available
	<b>Color:</b> Slightly yellow		
<b>Odour</b>	No distinct odour	<b>Vapour Pressure</b>	Not available
<b>Odor Threshold</b>	Not available	<b>Vapour Density</b>	Not available
<b>pH</b>	≥12	<b>Relative Density</b>	Not available
<b>Melting point/Freezing Point</b>	Not available	<b>Solubility (with water)</b>	Low
<b>Initial Boiling Point and Boiling Range</b>	Not available	<b>Partition Coefficient n-octanol/water</b>	Not available
<b>Flash Point</b>	Not available	<b>Auto-ignition Temperature</b>	Not available
<b>Evaporation Rate</b>	Not available	<b>Decomposition Temperature</b>	Not available
<b>Flammability</b>	Not available	<b>Viscosity Temperature</b>	Not available

**10. STABILITY AND REACTIVITY**

**Reactivity:** Contact with the liquid or water will result the hydration of the product and formation of calcium hydroxide (caustic).

**Chemical Stability:** Product stable in normal conditions.

**Possibility of Hazardous Reactions:** Not available

**Conditions to Avoid:** Avoid contact with water to prevent premature setting.

**Incompatible Materials:** Acids, ammonia, nitrate, ammonium salts, aluminum metal and chlorine.

**Hazardous Decomposition Products:** Decomposition will not occur spontaneously.

**11. TOXICOLOGICAL INFORMATION**

**Toxicity, Environmental Fate, Physical/Chemical Data, or Other Data Supporting Environmental Hazard Statements:** No recognized unusual toxicity to plants or animals.

**Emergency Overview:** EdgeUtopia BioCeramic Sealer is a paste that poses little immediate hazard. A single short-term exposure to the paste is not likely to cause serious harm. However, exposure of sufficient amount and duration (either single or multiple) to moist product can cause serious, potentially irreversible tissue (skin or eye) destruction in the form of chemical (caustic) burns, including third-degree burns. The same type of tissue destruction can occur if wet or moist areas of the body are exposed for sufficient duration to the product.

Likely Routes of Exposure	Signs and Symptoms	Single, Repeated, or Lifetime Exposure	Severity (Mild, Moderate, Severe)	Acute and Chronic Health Effects	Target Organs	LD50 Testing Data (as applicable)	LC50 Testing Data (as applicable)
Eye	Irritation or Inflammation	Single	Moderate	Blindness in severe cases.	Eye	Not available	Not available
Skin	Mild Irritation, skin dryness	Single	Mild	Severe skin damage.	Skin	Not available	Not available
Inhalation	Irritation to moist mucous	Repeated	Mild	Lung injury can occur.	Mucous membranes	Not available	Not available



Version: 8.000

Date: 01/03/2023

	membranes of the nose, throat and upper respiratory system.				of the nose, throat and upper respiratory system.		
Ingestion	Internal discomfort or irritation to the digestive tract.	Single	Mild	Ill effects are possible if large amounts are consumed.	Digestive system	Not available	Not available

**Medical Conditions Aggravated by Exposure:** Pre-existing upper respiratory and lung diseases.

**Carcinogenicity:** Ingredients not listed as carcinogens.

---

## 12. ECOLOGICAL INFORMATION

**Toxicity:** Not available.

**Persistence and Degradability:** Not available.

**Bioaccumulative Potential:** Not available.

**Mobility in Soil:** Not available.

**Other Adverse effects:** Not available.

---

## 13. DISPOSAL CONSIDERATIONS

**Waste Treatment Methods:** Avoid contact with skin and eyes. Refer to Section 8 for personal protection measures. Dispose of waste and contaminated product in a suitable sealed container. Dispose of product according to local and federal regulations. Do not dispose of product down drains or from entering sewage systems.

**Physical/Chemical Properties Affecting Disposal Options:** No known precautions.

**Special Precautions for Incineration or Landfill:** Not applicable.

---

## 14. TRANSPORT INFORMATION

**UN Number:** Not applicable.

**UN Proper Shipping Name:** EdgeUtopia BioCeramic Sealer.

**Transport Hazard Class(es):** Not applicable

**Environmental Hazards:** Not applicable

**Precautions for User:** Not applicable

**Transport in Bulk (According to Annex II of MARPOL 73/78<sup>9</sup> and IBC Code):** Not applicable



Version: 8.000

Date: 01/03/2023

---

**15. REGULATORY INFORMATION**

Status under USDOL-OSHA Hazard Communication Rule, 29 CFR 1910, 1200: Status under USDOL-OSHA Hazard Communication Rule, 29 CFR 1910, 1200- The major components of EdgeUtopia BioCeramic Sealer (calcium silicate compounds are considered to be “hazardous chemicals” under this regulation; thus, the product should be part of hazard communication program(s).

Hazard Category under SARA (Title III), Section 311 and 312: The major components of EdgeUtopia BioCeramic Sealer (calcium silicate compounds) qualify as “hazardous substances” with delayed health effects.

Status under REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006; This device is classified as an irritant: - Skin irritation (Category 2) - Eye irritation (Category 2).

---

**16. OTHER INFORMATION**

**Date of Preparation:** 29/03/23

The information contained in this sheet is based on our knowledge on the date indicated above. This information refers only to the indicated product and of not constitute guarantee for a particular quality. The user is fully responsible to adopt the due precautions to protect property and people against any damages, which might derive from such handling and use. We recommend the user to carefully observe the destination and the form of use of the product, using according to the instructions.

In case of doubts, request technical guidelines: **+55 43 2101-3200 or [sac@angelus.ind.br](mailto:sac@angelus.ind.br)**

